

SHORT COMMUNICATIONS

THE PAGENUMBER OF SPHERICAL LATTICES IS UNBOUNDED

MOHAMMAD ALZOHAIRI, IVAN RIVAL AND ALEXANDR KOSTOCHKA¹

ABSTRACT. Although the pagenumber of planar ordered sets – even for a planar lattices remains unknown we give a sequence (L_n) of spherical lattices, where the pagenumber of L_n is at least n . Notice that the covering graph for each member of this sequence is planar.

We say that a covers b (or b covered by a) in the ordered set P , and write $a \succ b$ (or $b \prec a$), if $a > b$ and whenever $a > c \geq b$, then $c = b$. Also, we say that a is an upper cover of b , or b is a lower cover of a , or (a, b) is an edge in P .

The covering graph of P , $cov(P)$, is the graph whose vertices are the elements of P , and a pair $\{a, b\}$ forms an edge in $cov(P)$ if $a \succ b$ or $a \prec b$. It is possible to draw $cov(P)$ on the Cartesian plane in such a way that the y -coordinate of a is less than the y -coordinate of b if $a \prec b$ and the edge (a, b) does not pass any other element of P . We call such drawing an upward drawing of P . An ordered set P is planar if there exists an upward drawing of P without edge crossings.

A book embedding of a graph G consists of an embedding of its nodes along the spine of a book, and an embedding of its edges on pages so that edges embedded on the same page do not intersect. The pagenumber of G , $page(G)$, is the minimum number of pages needed, taken over all permutations of the vertices of G .

The pagenumber of an ordered set P , $page(P)$, is the pagenumber of the graph $cov(P)$ taken over only the permutations of the vertices of P which form linear extensions (A total ordering of the elements of an ordered set P is called a linear extension of P , if it is consistent with the ordering of P). The pagenumber was first defined for graphs by Bernhart and Kainen [2], who showed that the one-page graphs are

¹The work of this author was partially supported by the grants 99-01-00581 and 97-01-01075 of the Russian Foundation for Fundamental Research.




Figure 1: Four-page planar ordered set.




Figure 2:

exactly the outerplanar graphs. **Yannakakis** [7], showed that $page(G) \leq 4$ for every planar graph G , and this upper bound is achieved. The pagenumber for ordered sets was introduced by **Nowakowski** and **Parker** [4], who showed that $page(P) = 1$ if and only if $cov(P)$ is a forest. They also derived a general lower bound on the pagenumber of ordered sets and upper bounds for special classes of ordered sets. **Hung** [3] showed that there exists a 48-element planar ordered set which requires four pages (see Figure 1 (This is the smallest known four-page planar ordered set.)). Moreover, no planar ordered set with pagenumber five is known.

For each positive integer n , **Pemmaraju** [5] gave a $6n$ -vertex spherical ordered set P (see Figure 2) with a planar covering graph such that $page(P) \geq n$. (An ordered set is *spherical* if it has an upward drawing on the surface of the sphere such that all arcs are strictly increasing northward on the sphere, and no pair of arcs cross (see [6].)) Examples of Pemmaraju are not lattices. The smallest lattices containing these ordered sets as suborders (so called MacNeille completions) are illustrated in Figure 4. Since these lattices are graded planar lattices, their pagenumber is at most




Figure 3:




Figure 4:

two (see [1]).

In this note we give a sequence L_n (illustrated in Figure 3) of spherical lattices which has an unbounded pagenumber. The covering graph for each member of this sequence is planar. The importance of this sequence comes from the fact that a spherical ordered set is “almost” planar.

Theorem. *For each positive integer n , $page(L_n) \geq n$ where L_n is the (spherical) lattice illustrated in Figure 3.*

Proof. Let L be a linear extension of the lattice L_n . Since $a_n \parallel b_{n+1}$ in L_n , either $a_n < b_{n+1}$ or $b_{n+1} < a_n$ in L .

Suppose $a_n < b_{n+1}$ in L . As $a_1 < a_2 < \dots < a_n$ and $b_{n+1} < b_{n+2} < \dots < b_{2n}$ in L_n , we have in L : $a_1 < a_2 < \dots < a_n < b_{n+1} < b_{n+2} < \dots < b_{2n}$, which means that L contains the n -twist $\{(a_i, b_{n+i}) : 1 \leq i \leq n\}$. Hence, $page(L_n, L) \geq n$.

Similarly, if $b_n < c_{n+1}$ or $c_n < a_{n+1}$ in L , then $page(L_n, L) \geq n$. Thus if $page(L_n, L) < n$, then $a_n > b_{n+1} > b_n > c_{n+1} > c_n > a_{n+1}$ in L , a contradiction.

REFERENCES

1. M. Alzohairi *The pagenumber of ordered sets*, Ph.D. thesis, University of Ottawa, Ottawa, Canada 1997.
2. F. Bernhart and P. Kainen *The book thickness of a graph*, Journal of Combinatorial Theory, Series B **27**(1979), 320-331.
3. L. Hung, *A planar poset which requires four pages*, Ars Combin. **35**(1993), 291-302.
4. R. Nowakowski and A. Parker, *Ordered sets, pagenumbers and planarity*, Order **6**(1989), 209-218.
5. S. Pemmaraju, *Exploring the Powers of Stacks and Queues via Graph Layouts*, Ph.D. thesis, Virginia Polytechnic Institute and State University at Blacksburg, Virginia, 1992.
6. I. Rival, *Reading, drawing, and order*, (I. Rosenberg and G. Sabidussi eds.) Algebras and Orders,(1993), 359-404.
7. M. Yannakakis, *Embedding planar graphs in four pages*, J. Comput. System Sci. **38**(1989), 36-67.

DEPARTMENT OF MATHEMATICS, P.O. BOX 2455 RIYADH 11451, SAUDI ARABIA
e-mail: zohairi@ksu.edu.sa

DEPARTMENT OF COMPUTER SCIENCE, UNIVERSITY OF OTTAWA, OTTAWA K1N 6N5 CANADA.
e-mail:rival@csi.uottawa.ca

INSTITUTE OF MATHEMATICS 630090 NOVOSIBIRSK, RUSSIA.
e-mail: sasha@math.nsc.ru

Date received July 25, 2000.